

Add Jurisdiction
Logo Here

Compliance with Building Electrification Reach Code – Single Family

Instructions: Fill out form and attach directly on drawing set for permit review. Check box if answer is "yes."

Is the application for an all-electric permit, or is it mixed-fuel permit (i.e. using gas/propane for some end uses in addition to electric)?

All-Electric

Mixed-Fuel

If All-Electric:

- Does the building's energy model meet California Energy Code (CEC) Compliance?

If Mixed-Fuel

- Does the building meet each of the following requirements? *Call-out specifically on electrical and mechanical plans*
 - Is a dedicated 240V, 30A electrical receptacle located within 3 feet of each **water heater**?
 - Is a dedicated 240V, 40A electrical receptacle located within 3 feet of each **clothes dryer**?
 - Is a dedicated 240V, 50A electrical receptacle located within 3 feet of each **clothes dryer**?
 - Is the air conditioning system capable of operating in **heat pump mode**?
- Does the building's energy model **perform 10 EDR better than CEC requires**?
- **If prescriptive performance path is selected**, does the building meet each of the following requirements in addition to requirements? *Call-out specifically on plans*
 - Verified low leakage ducts in conditioned space
 - R-10 perimeter slab insulation
 - Meets requirements for "basic compact hot water distribution"
 - Fan efficacy of 0.35 Watts/CFM or lower verified by HERS rater
 - Includes *either* of the following
 - Includes 5 kWh battery storage system
 - Includes solar water heating with 0.20 solar fraction or greater

Form filled by (Name) _____

Signature _____ Date: _____